

[REDACTED]

---

**From:** [REDACTED]  
**Sent:** 23 December 2024 11:46  
**To:** [REDACTED]  
**Subject:** FW: MHRA Licence  
**Attachments:** WDA(H) Licence.pdf

**Follow Up Flag:** Follow up  
**Flag Status:** Flagged

Kind regards,  
[REDACTED]

---

**From:** PCL <PCL@mhra.gov.uk>  
**Sent:** 20 December 2024 13:43  
**To:** [REDACTED]  
**Subject:** FW: MHRA Licence

Do internal to remove the RP

[Case Folder](#)

[REDACTED]

---

**From:** [REDACTED]  
**Sent:** 10 December 2024 17:49  
**To:** PCL <[PCL@mhra.gov.uk](mailto:PCL@mhra.gov.uk)>  
**Subject:** Re: MHRA Licence

Hi PCL team,

It's WDA (H) 54924, license is as attached.

The variation that was approved was to remove [REDACTED] and have [REDACTED] replace her.

Could you please have [REDACTED] removed from the license?

Many thanks,  
[REDACTED]



NOBLE HEALTHCARE LTD

Telephone [REDACTED]

Mobile [REDACTED]

Email [REDACTED]

Address 5 Darlington Close, Sandy, SG19 1RW

Website [www.noblehc.co.uk](http://www.noblehc.co.uk)

CONFIDENTIALITY NOTICE: The contents of this email message and any attachments are intended solely for the addressee(s) and may contain confidential and/or privileged information and may be legally protected from disclosure. If you are not the intended recipient of this message or their agent, or if this message has been addressed to you in error, please immediately alert the sender by reply email and then delete this message and any attachments. If you are not the intended recipient, you are hereby notified that any use, dissemination, copying, or storage of this message or its attachments is strictly prohibited.

On 10 Dec 2024, at 17:42, PCL <[PCL@mhra.gov.uk](mailto:PCL@mhra.gov.uk)> wrote:

Dear [REDACTED]

Please could you share the license type and number for this request?

Kind Regards,

**PCL Team**

**Healthcare Quality and Access – Data Assurance & Quality Unit**

Medicines and Healthcare Products Regulatory Agency

10 South Colonnade, Canary Wharf, London, E14 4PU

Email: [pcl@mhra.gov.uk](mailto:pcl@mhra.gov.uk)

---

**From:** [REDACTED]

**Sent:** 10 December 2024 12:30

**To:** PCL <[PCL@mhra.gov.uk](mailto:PCL@mhra.gov.uk)>

**Subject:** Re: MHRA Licence

Dear PCL Team,

Thanks for the updated license, I think theres been a bit of an error as [REDACTED] should be removed from the license. Could you please adapt and resend?

Many thanks,



<image001.jpg>

NOBLE HEALTHCARE LTD  
Telephone +44 (0) 330 1755646  
Mobile +44 (0) 749 898 3838  
Email [faiz@noblehc.co.uk](mailto:faiz@noblehc.co.uk)  
Address 5 Darlington Close, Sandy, SG19 1RW  
Website [www.noblehc.co.uk](http://www.noblehc.co.uk)

CONFIDENTIALITY NOTICE: The contents of this email message and any attachments are intended solely for the addressee(s) and may contain confidential and/or privileged information and may be legally protected from disclosure. If you are not the intended recipient of this message or their agent, or if this message has been addressed to you in error, please immediately alert the sender by reply email and then delete this message and any attachments. If you are not the intended recipient, you are hereby notified that any use, dissemination, copying, or storage of this message or its attachments is strictly prohibited.

On 10 Dec 2024, at 12:04, PCL <[PCL@mhra.gov.uk](mailto:PCL@mhra.gov.uk)> wrote:

Dear Licence Holder,

All licences/registrations are being issued as an electronic pdf copy, with equivalent entries uploaded into MHRAGMDP [MHRA-GMDP](#). Please allow 48 hours, after the licence has been approved, for this to be visible.

For specials licences the register will continue to be updated on a monthly basis; <https://www.gov.uk/government/publications/human-and-veterinary-medicines-register-of-licensed-manufacturing-sites>.

Please find attached a copy of your licence/registration.

Kind Regards

Process Licensing Team

DISCLAIMER This email and any files transmitted with it are confidential. If you are not the intended recipient, any reading, printing, storage, disclosure, copying or any other action taken in respect of this email is prohibited and may be unlawful. If you are not the intended recipient, please notify the sender immediately by using the reply function and then permanently delete what you have received. Incoming and outgoing email messages are routinely monitored for compliance with the Department of Health's policy on the use of electronic communications. For more information on the Department of Health's email policy, click [DHTermsAndConditions](#)<WDA(H) Licence.pdf>

DISCLAIMER This email and any files transmitted with it are confidential. If you are not the intended recipient, any reading, printing, storage, disclosure, copying or any other action taken in respect of this email is prohibited and may be unlawful. If you are not the intended recipient, please notify the sender immediately by using the reply function and then permanently delete what you have received. Incoming and outgoing email messages are routinely monitored for compliance with the Department of Health's policy on the use of electronic communications. For more information on the Department of Health's email policy, click [DHTermsAndConditions](#)

DISCLAIMER This email and any files transmitted with it are confidential. If you are not the intended recipient, any reading, printing, storage, disclosure, copying or any other action taken in respect of this email is prohibited and may be unlawful. If you are not the intended recipient, please notify the sender immediately by using the reply function and then permanently delete what you have received. Incoming and outgoing email messages are routinely monitored for compliance with the Department of Health's policy on the use of electronic communications. For more information on the Department of Health's email policy, click [DHTermsAndConditions](#)

DISCLAIMER This email and any files transmitted with it are confidential. If you are not the intended recipient, any reading, printing, storage, disclosure, copying or any other action taken in respect of this email is prohibited and may be unlawful. If you are not the intended recipient, please notify the sender immediately by using the reply function and then permanently delete what you have received. Incoming and outgoing email messages are routinely monitored for compliance with the Department of Health's policy on the use of electronic communications. For more information on the Department of Health's email policy, click [DHTermsAndConditions](#)